

BUILDING PRODUCTS LISTING PROGRAM

Customer: Greenstone Building Products Ltd.
Class: Insulated Structural Panels
Website: www.gsbp.ca

Locations: Brandon, Manitoba, Canada

Listing No. B1122-1
Project No. B1122-1 Edition 1

Effective Date: November 5, 2020
Last Revised Date: December 8, 2020
Expires: N/A

Standards:	ASTM C578	Standard Specification for Rigid, Cellular Polystyrene Thermal Insulation.
	CAN/ULC-S701	Standard for Thermal Insulation, Polystyrene, Boards and Pipe Covering.
	UL 723	Standard for Test for Surface Burning Characteristics of Building Materials.
	CAN/ULC-S102.2	Standard Method of Test for Surface Burning Characteristics of Flooring, Floor Coverings, and Miscellaneous Materials and Assemblies.
	CAN/ULC-S101	Standard Methods of Fire Endurance Tests of Building Construction and Materials.
	ASTM E119	Standard Test Methods for Fire Tests of Building Construction and Materials.
	ASTM E72	Standard Test Methods of Conducting Strength Tests of Panels for Building Construction.
	ASTM E564	Standard Practice for Static Load Test for Shear Resistance of Framed Walls for Buildings.

Product: Greenstone Insulated Composite Envelope (ICE) Prefabricated Wall Panels.

Markings: Each panel is marked with a permanent label containing the following information:

- a) Manufacturers name or recognized trademark
- b) Product name
- c) Date of manufacture
- d) QAI file number: B1122
- e) UL 723 / CAN/ULC S102.2 Flame Spread Index and Smoke Developed Index (UL 723 FSI $\leq$ 25 / SDI $\leq$ 450) (S102.2 FSI $\leq$ 250 SDI $\geq$ 500).
- f) QAI logo shown here:

